

## **Fitting instructions – chrome rings for Toyota Supra Mk4**

### **MIRROR SWITCH / DIGITAL CLOCK RING – FITTING INSTRUCTIONS**

To install the rings in your car you may need any small diameter rounded tool. The best will be a plastic pen or cigarette lighter.

There is link for video called: *Toyota Supra MKIV 93-02 - chrome dash rings fitting instructions* to show that:

<http://www.youtube.com/watch?v=li6Ug14nFYk>


---

All rings can be made slightly smaller than size of dashboard hole instrument fascia. Back of rings are made from softer and thinner aluminium to make fitting easier.

- The rings are push in fitting. You have to push in the rings on the proper place on dash first. If any of the rings will be a bit to loose you have to bend back edge of the ring outside direction.
- All back surface should be bended so you should rotate the ring in your hands.
- Now you should check fitting of the ring and repeat above steps if necessary. It should fit tight and bended back will avoid the ring to be loose again.

### **CIGARETTE LIGHTER RING – FITTING INSTRUCTIONS**

You need to stick the rings on dashboard using 3M double sided tape provided. You can do it like on photo below



You can use any glue to do it as well (the best one is silicone glue because is easy to remove from dash if needed)

Please contact us if you have any question about the item.

**PLEASE VISIT OUR NEW ONLINE SHOP**  
**[www.tuning-shop.co.uk](http://www.tuning-shop.co.uk)**

## **Fitting instructions – chrome rings Toyota Supra Mk4 FL**

To install the rings in your car you may need any small diameter rounded tool.  
The best will be a plastic pen or a cigarette lighter.

**We have uploaded fitting video on YouTube. It's called: *TOYOTA SUPRA MKIV FL - FITTING CHROME RINGS***

**The link is called:**

---

**[http://www.youtube.com/watch?v=pF6D\\_H7L4EQ](http://www.youtube.com/watch?v=pF6D_H7L4EQ)**

All rings can be made slightly smaller than size of dashboard hole instrument fascia. Back of rings are made from softer and thinner aluminium to make fitting easier.

- The rings are push in fitting. You have to push in the rings on the proper place on dash first.
- If any of the rings will be a bit to loose you have to bend back edge of the ring outside direction.
- All back surface should be bended so you should rotate the ring in your hands.
- Now you should check fitting of the ring and repeat above steps if necessary.
- It should fit tight and bended back will avoid the ring to be loose again.

There is link for video called: *Toyota Supra MKIV 93-02 - chrome dash rings fitting instructions* to show that:

**<http://www.youtube.com/watch?v=li6Ug14nFYk>**

Please contact us if you have any question about the item.

**PLEASE VISIT OUR NEW ONLINE SHOP**

**[www.tuning-shop.co.uk](http://www.tuning-shop.co.uk)**

**the-tuning-shop-team**

## Fitting instructions – chrome rings / surrounds

To install the rings in your car you need any small diameter rounded tool. The best will be a plastic pen.

We have uploaded fitting video on YouTube. It's called: *Heater control rings - fitting instructions*

There is a link for fitting video:


<http://www.youtube.com/watch?v=UzPhS1Pc01A>

---

All rings can be made slightly smaller than size of dashboard hole around heater controls. Back of rings are made from softer and thinner aluminium to make fitting easier.

- You have to try to push in the rings on the proper place on dash first.
- If it's a bit too loose you have to bend back edge of the ring outside direction.
- All back surface should be bended so you should rotate the ring in your hands.
- Now you should check fitting of the ring and repeat above steps if necessary.
- It should fit tight and bended back will avoid the ring to be loose again.

It should be done like on picture below:



Please contact us if you have any question about the item.

**PLEASE VISIT OUR NEW ONLINE SHOP**

**[www.tuning-shop.co.uk](http://www.tuning-shop.co.uk)**

**the-tuning-shop-team**